

| Patientkarakteristika | Region Hovedstaden n(%) | Region Sjælland n(%) | Region Syddanmark n(%) | Region Midtjylland n(%) | Region Nordjylland n(%) | Danmark n(%) |
|---------------------------------------|----------------------------|-------------------------|---------------------------|----------------------------|----------------------------|-----------------|
| Aldersgruppen | | | | | | |
| <= 49 | 28 (4) | 19 (4) | 32 (4) | 20 (3) | 9 (3) | 108 (4) |
| 50 - 59 | 61 (8) | 41 (8) | 54 (7) | 68 (11) | 16 (5) | 240 (8) |
| 60 - 69 | 133 (18) | 87 (17) | 137 (18) | 99 (16) | 59 (20) | 515 (18) |
| 70 - 79 | 255 (35) | 189 (36) | 280 (38) | 223 (37) | 107 (36) | 1.054 (36) |
| >= 80 | 251 (34) | 182 (35) | 239 (32) | 197 (32) | 108 (36) | 977 (34) |
| Køn | | | | | | |
| Mand | 324 (45) | 248 (48) | 346 (47) | 291 (48) | 121 (40) | 1.330 (46) |
| Kvinde | 404 (55) | 270 (52) | 396 (53) | 316 (52) | 178 (60) | 1.564 (54) |
| Charlson Komorbiditets Index | | | | | | |
| 0 | 395 (54) | 274 (53) | 346 (47) | 347 (57) | 156 (52) | 1.518 (52) |
| 1-2 | 236 (32) | 176 (34) | 262 (35) | 191 (31) | 106 (35) | 971 (34) |
| 3+ | 97 (13) | 68 (13) | 134 (18) | 69 (11) | 37 (12) | 405 (14) |
| Klinisk stadium (UICC) | | | | | | |
| Klinisk UICC stadium I | 206 (28) | 158 (31) | 232 (31) | 182 (30) | 76 (25) | 854 (30) |
| Klinisk UICC stadium II | 111 (15) | 116 (22) | 80 (11) | 98 (16) | 83 (28) | 488 (17) |
| Klinisk UICC stadium III | 210 (29) | 117 (23) | 255 (34) | 154 (25) | 83 (28) | 819 (28) |
| Klinisk UICC stadium IV | 152 (21) | 109 (21) | 158 (21) | 141 (23) | 57 (19) | 617 (21) |
| Klinisk UICC stadium ikke vurderet | 49 (7) | 18 (3) | 17 (2) | 32 (5) | 0 (0) | 116 (4) |
| Patologisk stadium (UICC) | | | | | | |
| Patologisk UICC stadium 0 | 5 (1) | 0 (0) | # (#) | # (#) | # (#) | 9 (0) |
| Patologisk UICC stadium I | 94 (13) | 57 (11) | 120 (16) | 101 (17) | 50 (17) | 422 (15) |
| Patologisk UICC stadium II | 164 (23) | 116 (22) | 191 (26) | 138 (23) | 80 (27) | 689 (24) |
| Patologisk UICC stadium III | 148 (20) | 84 (16) | 141 (19) | 112 (18) | 58 (19) | 543 (19) |
| Patologisk UICC stadium IV | 155 (21) | 112 (22) | 161 (22) | 140 (23) | 59 (20) | 627 (22) |
| Patologisk UICC stadium ikke vurderet | 162 (22) | 149 (29) | 128 (17) | 115 (19) | 50 (17) | 604 (21) |
| OpererATION | | | | | | |
| Ja | 578 (79) | 372 (72) | 601 (81) | 468 (77) | 252 (84) | 2.271 (78) |
| Nej | 150 (21) | 146 (28) | 141 (19) | 139 (23) | 47 (16) | 623 (22) |
| Prioritet | | | | | | |
| Elektiv | 472 (65) | 310 (60) | 490 (66) | 393 (65) | 209 (70) | 1.874 (65) |
| Akut | 48 (7) | 29 (6) | 61 (8) | 26 (4) | 19 (6) | 183 (6) |
| n/a | 208 (29) | 179 (35) | 191 (26) | 188 (31) | 71 (24) | 837 (29) |
| Intention | | | | | | |
| Kurativt | 500 (69) | 322 (62) | 525 (71) | 411 (68) | 220 (74) | 1.978 (68) |
| Compromised resection | 15 (2) | 11 (2) | 12 (2) | 8 (1) | 5 (2) | 51 (2) |
| Palliativt | 5 (1) | 6 (1) | 14 (2) | 0 (0) | 3 (1) | 28 (1) |
| n/a | 208 (29) | 179 (35) | 191 (26) | 188 (31) | 71 (24) | 837 (29) |
| Histologi | | | | | | |
| Adenokarcinom | 526 (72) | 380 (73) | 561 (76) | 444 (73) | 223 (75) | 2.134 (74) |
| Lavt differentieret adenokarcinom | 65 (9) | 14 (3) | 50 (7) | 46 (8) | 18 (6) | 193 (7) |
| Andet karcinom | 79 (11) | 44 (8) | 60 (8) | 56 (9) | 42 (14) | 281 (10) |
| Uoplyst | 58 (8) | 80 (15) | 71 (10) | 61 (10) | 16 (5) | 286 (10) |
| Mismatch repair deficiency | | | | | | |
| pMMR | 470 (65) | 358 (69) | 432 (58) | 373 (61) | 181 (61) | 1.814 (63) |
| dMMR | 170 (23) | 31 (6) | 191 (26) | 147 (24) | 87 (29) | 626 (22) |
| Uoplyst | 88 (12) | 129 (25) | 119 (16) | 87 (14) | 31 (10) | 454 (16) |
| I alt | | | | | | |
| Patienter | 728 (25) | 518 (18) | 742 (26) | 607 (21) | 299 (10) | 2.894 (100) |

| Patientkarakteristika | Bispebjerg n(%) | Hillerød n(%) | Herlev n(%) | Hvidovre n(%) | Region Hovedstaden n(%) |
|---------------------------------------|--------------------|------------------|----------------|------------------|----------------------------|
| Aldersgruppen | | | | | |
| <= 49 | 8 (5) | 8 (5) | 5 (2) | 7 (4) | 28 (4) |
| 50 - 59 | 11 (7) | 13 (8) | 14 (7) | 23 (13) | 61 (8) |
| 60 - 69 | 35 (21) | 32 (19) | 34 (16) | 32 (17) | 133 (18) |
| 70 - 79 | 58 (35) | 63 (37) | 71 (34) | 63 (34) | 255 (35) |
| >= 80 | 56 (33) | 53 (31) | 83 (40) | 59 (32) | 251 (34) |
| Køn | | | | | |
| Mand | 86 (51) | 62 (37) | 86 (42) | 90 (49) | 324 (45) |
| Kvinde | 82 (49) | 107 (63) | 121 (58) | 94 (51) | 404 (55) |
| Charlson Komorbiditets Index | | | | | |
| 0 | 73 (43) | 105 (62) | 120 (58) | 97 (53) | 395 (54) |
| 1-2 | 65 (39) | 52 (31) | 59 (29) | 60 (33) | 236 (32) |
| 3+ | 30 (18) | 12 (7) | 28 (14) | 27 (15) | 97 (13) |
| Klinisk stadium (UICC) | | | | | |
| Klinisk UICC stadium I | 50 (30) | 42 (25) | 83 (40) | 31 (17) | 206 (28) |
| Klinisk UICC stadium II | 42 (25) | 11 (7) | 18 (9) | 40 (22) | 111 (15) |
| Klinisk UICC stadium III | 31 (18) | 71 (42) | 58 (28) | 50 (27) | 210 (29) |
| Klinisk UICC stadium IV | 40 (24) | 33 (20) | 40 (19) | 39 (21) | 152 (21) |
| Klinisk UICC stadium ikke vurderet | 5 (3) | 12 (7) | 8 (4) | 24 (13) | 49 (7) |
| Patologisk stadium (UICC) | | | | | |
| Patologisk UICC stadium 0 | # (#) | | 3 (1) | # (#) | 5 (1) |
| Patologisk UICC stadium I | 20 (12) | 25 (15) | 27 (13) | 22 (12) | 94 (13) |
| Patologisk UICC stadium II | 40 (24) | 47 (28) | 44 (21) | 33 (18) | 164 (23) |
| Patologisk UICC stadium III | 29 (17) | 35 (21) | 44 (21) | 40 (22) | 148 (20) |
| Patologisk UICC stadium IV | 43 (26) | 33 (20) | 40 (19) | 39 (21) | 155 (21) |
| Patologisk UICC stadium ikke vurderet | 35 (21) | 29 (17) | 49 (24) | 49 (27) | 162 (22) |
| Operation | | | | | |
| Ja | 136 (81) | 134 (79) | 165 (80) | 143 (78) | 578 (79) |
| Nej | 32 (19) | 35 (21) | 42 (20) | 41 (22) | 150 (21) |
| Prioritet | | | | | |
| Elektiv | 106 (63) | 116 (69) | 135 (65) | 115 (63) | 472 (65) |
| Akut | 12 (7) | 10 (6) | 19 (9) | 7 (4) | 48 (7) |
| n/a | 50 (30) | 43 (25) | 53 (26) | 62 (34) | 208 (29) |
| Intention | | | | | |
| Kurativt | 115 (68) | 117 (69) | 147 (71) | 121 (66) | 500 (69) |
| Compromised resection | # (#) | 6 (4) | 7 (3) | # (#) | 15 (2) |
| Palliativt | # (#) | 3 (2) | | | 5 (1) |
| n/a | 50 (30) | 43 (25) | 53 (26) | 62 (34) | 208 (29) |
| Histologi | | | | | |
| Adenokarcinom | 123 (73) | 122 (72) | 148 (71) | 133 (72) | 526 (72) |
| Lavt differentieret adenokarcinom | 11 (7) | 20 (12) | 25 (12) | 9 (5) | 65 (9) |
| Andet karcinom | 17 (10) | 22 (13) | 19 (9) | 21 (11) | 79 (11) |
| Uoplyst | 17 (10) | 5 (3) | 15 (7) | 21 (11) | 58 (8) |
| Mismatch repair deficiency | | | | | |
| pMMR | 110 (65) | 108 (64) | 135 (65) | 117 (64) | 470 (65) |
| dMMR | 37 (22) | 49 (29) | 49 (24) | 35 (19) | 170 (23) |
| Uoplyst | 21 (13) | 12 (7) | 23 (11) | 32 (17) | 88 (12) |
| I alt | | | | | |
| Patienter | 168 (23) | 169 (23) | 207 (28) | 184 (25) | 728 (100) |

| Patientkarakteristika | SUH n(%) | Slagelse n(%) | Region Sjælland n(%) |
|---------------------------------------|-------------|------------------|-------------------------|
| Aldersgruppen | | | |
| <= 49 | 11 (4) | 8 (3) | 19 (4) |
| 50 - 59 | 26 (10) | 15 (6) | 41 (8) |
| 60 - 69 | 36 (13) | 51 (21) | 87 (17) |
| 70 - 79 | 97 (36) | 92 (37) | 189 (36) |
| >= 80 | 100 (37) | 82 (33) | 182 (35) |
| Køn | | | |
| Mand | 133 (49) | 115 (46) | 248 (48) |
| Kvinde | 137 (51) | 133 (54) | 270 (52) |
| Charlson Komorbiditets Index | | | |
| 0 | 138 (51) | 136 (55) | 274 (53) |
| 1-2 | 95 (35) | 81 (33) | 176 (34) |
| 3+ | 37 (14) | 31 (13) | 68 (13) |
| Klinisk stadium (UICC) | | | |
| Klinisk UICC stadium I | 93 (34) | 65 (26) | 158 (31) |
| Klinisk UICC stadium II | 63 (23) | 53 (21) | 116 (22) |
| Klinisk UICC stadium III | 43 (16) | 74 (30) | 117 (23) |
| Klinisk UICC stadium IV | 60 (22) | 49 (20) | 109 (21) |
| Klinisk UICC stadium ikke vurderet | 11 (4) | 7 (3) | 18 (3) |
| Patologisk stadium (UICC) | | | |
| Patologisk UICC stadium 0 | | | |
| Patologisk UICC stadium I | 28 (10) | 29 (12) | 57 (11) |
| Patologisk UICC stadium II | 62 (23) | 54 (22) | 116 (22) |
| Patologisk UICC stadium III | 40 (15) | 44 (18) | 84 (16) |
| Patologisk UICC stadium IV | 60 (22) | 52 (21) | 112 (22) |
| Patologisk UICC stadium ikke vurderet | 80 (30) | 69 (28) | 149 (29) |
| OpererATION | | | |
| Ja | 204 (76) | 168 (68) | 372 (72) |
| Nej | 66 (24) | 80 (32) | 146 (28) |
| Prioritet | | | |
| Elektiv | 160 (59) | 150 (60) | 310 (60) |
| Akut | 12 (4) | 17 (7) | 29 (6) |
| n/a | 98 (36) | 81 (33) | 179 (35) |
| Intention | | | |
| Kurativt | 160 (59) | 162 (65) | 322 (62) |
| Compromised resection | 9 (3) | # (#) | 11 (2) |
| Palliativt | 3 (1) | 3 (1) | 6 (1) |
| n/a | 98 (36) | 81 (33) | 179 (35) |
| Histologi | | | |
| Adenokarcinom | 204 (76) | 176 (71) | 380 (73) |
| Lavt differentieret adenokarcinom | 7 (3) | 7 (3) | 14 (3) |
| Andet karcinom | 22 (8) | 22 (9) | 44 (8) |
| Uoplyst | 37 (14) | 43 (17) | 80 (15) |
| Mismatch repair deficiency | | | |
| pMMR | 202 (75) | 156 (63) | 358 (69) |
| dMMR | 14 (5) | 17 (7) | 31 (6) |
| Uoplyst | 54 (20) | 75 (30) | 129 (25) |
| I alt | | | |
| Patienter | 270 (52) | 248 (48) | 518 (100) |

| Patientkarakteristika | Lillebælt n(%) | OUH n(%) | Sydvestjysk n(%) | Sønderjylland n(%) | Region Syddanmark n(%) |
|---------------------------------------|-------------------|-------------|---------------------|-----------------------|---------------------------|
| Aldersgruppen | | | | | |
| <= 49 | 5 (3) | 19 (6) | 3 (2) | 5 (4) | 32 (4) |
| 50 - 59 | 8 (5) | 22 (7) | 14 (10) | 10 (8) | 54 (7) |
| 60 - 69 | 29 (17) | 62 (20) | 29 (21) | 17 (14) | 137 (18) |
| 70 - 79 | 69 (40) | 118 (38) | 48 (35) | 45 (38) | 280 (38) |
| >= 80 | 61 (35) | 93 (30) | 42 (31) | 43 (36) | 239 (32) |
| Køn | | | | | |
| Mand | 80 (47) | 143 (46) | 69 (51) | 54 (45) | 346 (47) |
| Kvinde | 92 (53) | 171 (54) | 67 (49) | 66 (55) | 396 (53) |
| Charlson Komorbiditets Index | | | | | |
| 0 | 89 (52) | 144 (46) | 55 (40) | 58 (48) | 346 (47) |
| 1-2 | 54 (31) | 125 (40) | 44 (32) | 39 (33) | 262 (35) |
| 3+ | 29 (17) | 45 (14) | 37 (27) | 23 (19) | 134 (18) |
| Klinisk stadium (UICC) | | | | | |
| Klinisk UICC stadium I | 61 (35) | 87 (28) | 46 (34) | 38 (32) | 232 (31) |
| Klinisk UICC stadium II | 11 (6) | 29 (9) | 24 (18) | 16 (13) | 80 (11) |
| Klinisk UICC stadium III | 57 (33) | 127 (40) | 36 (26) | 35 (29) | 255 (34) |
| Klinisk UICC stadium IV | 38 (22) | 65 (21) | 26 (19) | 29 (24) | 158 (21) |
| Klinisk UICC stadium ikke vurderet | 5 (3) | 6 (2) | 4 (3) | # (#) | 17 (2) |
| Patologisk stadium (UICC) | | | | | |
| Patologisk UICC stadium 0 | | # (#) | | | # (#) |
| Patologisk UICC stadium I | 32 (19) | 38 (12) | 28 (21) | 22 (18) | 120 (16) |
| Patologisk UICC stadium II | 44 (26) | 94 (30) | 27 (20) | 26 (22) | 191 (26) |
| Patologisk UICC stadium III | 28 (16) | 58 (18) | 30 (22) | 25 (21) | 141 (19) |
| Patologisk UICC stadium IV | 38 (22) | 68 (22) | 26 (19) | 29 (24) | 161 (22) |
| Patologisk UICC stadium ikke vurderet | 30 (17) | 55 (18) | 25 (18) | 18 (15) | 128 (17) |
| Operation | | | | | |
| Ja | 134 (78) | 267 (85) | 105 (77) | 95 (79) | 601 (81) |
| Nej | 38 (22) | 47 (15) | 31 (23) | 25 (21) | 141 (19) |
| Prioritet | | | | | |
| Elektiv | 106 (62) | 211 (67) | 93 (68) | 80 (67) | 490 (66) |
| Akut | 15 (9) | 31 (10) | 6 (4) | 9 (8) | 61 (8) |
| n/a | 51 (30) | 72 (23) | 37 (27) | 31 (26) | 191 (26) |
| Intention | | | | | |
| Kurativt | 110 (64) | 229 (73) | 98 (72) | 88 (73) | 525 (71) |
| Compromised resection | 7 (4) | 4 (1) | | # (#) | 12 (2) |
| Palliativt | 4 (2) | 9 (3) | # (#) | | 14 (2) |
| n/a | 51 (30) | 72 (23) | 37 (27) | 31 (26) | 191 (26) |
| Histologi | | | | | |
| Adenokarcinom | 130 (76) | 229 (73) | 103 (76) | 99 (83) | 561 (76) |
| Lavt differentieret adenokarcinom | 14 (8) | 28 (9) | 3 (2) | 5 (4) | 50 (7) |
| Andet karcinom | 8 (5) | 31 (10) | 13 (10) | 8 (7) | 60 (8) |
| Uoplyst | 20 (12) | 26 (8) | 17 (13) | 8 (7) | 71 (10) |
| Mismatch repair deficiency | | | | | |
| pMMR | 96 (56) | 189 (60) | 72 (53) | 75 (63) | 432 (58) |
| dMMR | 46 (27) | 81 (26) | 29 (21) | 35 (29) | 191 (26) |
| Uoplyst | 30 (17) | 44 (14) | 35 (26) | 10 (8) | 119 (16) |
| I alt | | | | | |
| Patienter | 172 (23) | 314 (42) | 136 (18) | 120 (16) | 742 (100) |

| Patientkarakteristika | Aarhus n(%) | Gødstrup n(%) | Horsens n(%) | Randers n(%) | Viborg n(%) | Region Midtjylland n(%) |
|---------------------------------------|----------------|------------------|-----------------|-----------------|----------------|----------------------------|
| Aldersgruppen | | | | | | |
| <= 49 | # (#) | 4 (3) | # (#) | 8 (4) | 4 (4) | 20 (3) |
| 50 - 59 | 9 (17) | 15 (10) | 9 (15) | 24 (11) | 11 (10) | 68 (11) |
| 60 - 69 | 14 (26) | 26 (17) | 7 (11) | 33 (15) | 19 (17) | 99 (16) |
| 70 - 79 | 18 (33) | 51 (33) | 25 (40) | 86 (39) | 43 (38) | 223 (37) |
| >= 80 | 11 (20) | 60 (38) | 19 (31) | 71 (32) | 36 (32) | 197 (32) |
| Køn | | | | | | |
| Mand | 28 (52) | 81 (52) | 26 (42) | 107 (48) | 49 (43) | 291 (48) |
| Kvinde | 26 (48) | 75 (48) | 36 (58) | 115 (52) | 64 (57) | 316 (52) |
| Charlson Komorbiditets Index | | | | | | |
| 0 | 35 (65) | 87 (56) | 39 (63) | 123 (55) | 63 (56) | 347 (57) |
| 1-2 | 15 (28) | 43 (28) | 15 (24) | 79 (36) | 39 (35) | 191 (31) |
| 3+ | 4 (7) | 26 (17) | 8 (13) | 20 (9) | 11 (10) | 69 (11) |
| Klinisk stadium (UICC) | | | | | | |
| Klinisk UICC stadium I | 10 (19) | 51 (33) | 19 (31) | 67 (30) | 35 (31) | 182 (30) |
| Klinisk UICC stadium II | 8 (15) | 15 (10) | 10 (16) | 42 (19) | 23 (20) | 98 (16) |
| Klinisk UICC stadium III | 4 (7) | 55 (35) | 14 (23) | 57 (26) | 24 (21) | 154 (25) |
| Klinisk UICC stadium IV | 25 (46) | 24 (15) | 19 (31) | 49 (22) | 24 (21) | 141 (23) |
| Klinisk UICC stadium ikke vurderet | 7 (13) | 11 (7) | | 7 (3) | 7 (6) | 32 (5) |
| Patologisk stadium (UICC) | | | | | | |
| Patologisk UICC stadium 0 | # (#) | | | | | # (#) |
| Patologisk UICC stadium I | # (#) | 27 (17) | 11 (18) | 41 (18) | 21 (19) | 101 (17) |
| Patologisk UICC stadium II | 11 (20) | 42 (27) | 8 (13) | 47 (21) | 30 (27) | 138 (23) |
| Patologisk UICC stadium III | 4 (7) | 28 (18) | 12 (19) | 45 (20) | 23 (20) | 112 (18) |
| Patologisk UICC stadium IV | 25 (46) | 24 (15) | 19 (31) | 49 (22) | 23 (20) | 140 (23) |
| Patologisk UICC stadium ikke vurderet | 12 (22) | 35 (22) | 12 (19) | 40 (18) | 16 (14) | 115 (19) |
| Operation | | | | | | |
| Ja | 45 (83) | 126 (81) | 36 (58) | 172 (77) | 89 (79) | 468 (77) |
| Nej | 9 (17) | 30 (19) | 26 (42) | 50 (23) | 24 (21) | 139 (23) |
| Prioritet | | | | | | |
| Elektiv | 35 (65) | 103 (66) | 32 (52) | 143 (64) | 80 (71) | 393 (65) |
| Akut | 6 (11) | 10 (6) | 1 (2) | 5 (2) | 4 (4) | 26 (4) |
| n/a | 13 (24) | 43 (28) | 29 (47) | 74 (33) | 29 (26) | 188 (31) |
| Intention | | | | | | |
| Kurativt | 38 (70) | 111 (71) | 32 (52) | 146 (66) | 84 (74) | 411 (68) |
| Compromised resection | 3 (6) | # (#) | # (#) | # (#) | | 8 (1) |
| Palliativt | 13 (24) | 43 (28) | 29 (47) | 74 (33) | 29 (26) | 188 (31) |
| n/a | | | | | | |
| Histologi | | | | | | |
| Adenokarcinom | 35 (65) | 118 (76) | 47 (76) | 167 (75) | 77 (68) | 444 (73) |
| Lavt differentieret adenokarcinom | 3 (6) | 10 (6) | 7 (11) | 15 (7) | 11 (10) | 46 (8) |
| Andet karcinom | 9 (17) | 17 (11) | # (#) | 16 (7) | 13 (12) | 56 (9) |
| Uoplyst | 7 (13) | 11 (7) | 7 (11) | 24 (11) | 12 (11) | 61 (10) |
| Mismatch repair deficiency | | | | | | |
| pMMR | 34 (63) | 100 (64) | 34 (55) | 140 (63) | 65 (58) | 373 (61) |
| dMMR | 8 (15) | 42 (27) | 18 (29) | 48 (22) | 31 (27) | 147 (24) |
| Uoplyst | 12 (22) | 14 (9) | 10 (16) | 34 (15) | 17 (15) | 87 (14) |
| I alt | | | | | | |
| Patienter | 54 (9) | 156 (26) | 62 (10) | 222 (37) | 113 (19) | 607 (100) |

| Patientkarakteristika | Aalborg n(%) | Hjørring n(%) | Region Nordjylland n(%) |
|---|-----------------|------------------|----------------------------|
| Aldersgruppen | | | |
| <= 49 | 5 (2) | 4 (4) | 9 (3) |
| 50 - 59 | 9 (4) | 7 (7) | 16 (5) |
| 60 - 69 | 44 (22) | 15 (16) | 59 (20) |
| 70 - 79 | 76 (37) | 31 (33) | 107 (36) |
| >= 80 | 70 (34) | 38 (40) | 108 (36) |
| Køn | | | |
| Mand | 82 (40) | 39 (41) | 121 (40) |
| Kvinde | 122 (60) | 56 (59) | 178 (60) |
| Charlson Komorbiditets Index | | | |
| 0 | 102 (50) | 54 (57) | 156 (52) |
| 1-2 | 77 (38) | 29 (31) | 106 (35) |
| 3+ | 25 (12) | 12 (13) | 37 (12) |
| Klinisk stadium (UICC) | | | |
| Klinisk UICC stadium I | 55 (27) | 21 (22) | 76 (25) |
| Klinisk UICC stadium II | 50 (25) | 33 (35) | 83 (28) |
| Klinisk UICC stadium III | 61 (30) | 22 (23) | 83 (28) |
| Klinisk UICC stadium IV | 38 (19) | 19 (20) | 57 (19) |
| Klinisk UICC stadium ikke vurderet | | | |
| Patologisk stadium (UICC) | | | |
| Patologisk UICC stadium 0 | # (#) | | # (#) |
| Patologisk UICC stadium I | 38 (19) | 12 (13) | 50 (17) |
| Patologisk UICC stadium II | 54 (26) | 26 (27) | 80 (27) |
| Patologisk UICC stadium III | 31 (15) | 27 (28) | 58 (19) |
| Patologisk UICC stadium IV | 39 (19) | 20 (21) | 59 (20) |
| Patologisk UICC stadium ikke vurderet | 40 (20) | 10 (11) | 50 (17) |
| Operation | | | |
| Ja | 170 (83) | 82 (86) | 252 (84) |
| Nej | 34 (17) | 13 (14) | 47 (16) |
| Prioritet | | | |
| Elektiv | 140 (69) | 69 (73) | 209 (70) |
| Akut | 12 (6) | 7 (7) | 19 (6) |
| n/a | 52 (25) | 19 (20) | 71 (24) |
| Intention | | | |
| Kurativt | 148 (73) | 72 (76) | 220 (74) |
| Compromised resection | # (#) | 3 (3) | 5 (2) |
| Palliativt | # (#) | # (#) | 3 (1) |
| n/a | 52 (25) | 19 (20) | 71 (24) |
| Histologi | | | |
| Adenokarcinom | 150 (74) | 73 (77) | 223 (75) |
| Lavt differentieret adenokarcinom | 13 (6) | 5 (5) | 18 (6) |
| Andet karcinom | 26 (13) | 16 (17) | 42 (14) |
| Uoplyst | 15 (7) | # (#) | 16 (5) |
| Mismatch repair deficiency | | | |
| pMMR | 115 (56) | 66 (69) | 181 (61) |
| dMMR | 62 (30) | 25 (26) | 87 (29) |
| Uoplyst | 27 (13) | 4 (4) | 31 (10) |
| I alt | | | |
| Patienter | 204 (68) | 95 (32) | 299 (100) |